



Edincik Mahallesi
Üyecek Sokak No: 38
Bandırma / Balıkesir
Tel: +90 266 727 20 00
Gsm: +90 532 263 23 08

www.realpolorized.com
musatokluoglu@hotmail.com




REAL POLARIZED



PC LENS




KS-101
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KO-030
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0




KB-003
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KU-043
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



H75
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KSG-005
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KBG-003
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



REAL POLARIZED



PC LENS




KUG-007
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KVG-008
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0




KYG-002
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KRG-030
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0




KGBG-005
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGSG-002
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGSG-007
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGSG-008
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0




REAL POLARIZED



PC LENS



KBG-100
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0




KBRG-002
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KBSG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KVSG-041
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KBUG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGG-002
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGG-015
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGG-037
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



REAL POLARIZED



PC LENS



KPBG-007
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KPGG-004
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KPUG-002
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KRSG-021
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KRSG-043
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KUBG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KUBG-008
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KUSG-009
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



REAL POLARIZED



PC LENS



KUSG-015
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KUSG-042
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KVBG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KYGG-003
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KYSG-005
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KYSG-019
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KYUG-007
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KYVG-006
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



REAL POLARIZED



PC LENS



KYSG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0




KOSG-027
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KGVG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KOSG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KSYS-001
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KBYS-002
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KSPB-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



KSYG-001
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:2.0/4.5/6.0



REAL POLARIZED




PC LENS




KOSG-004
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KSG-187
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KS-574 Silver Mirror
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KG-162 Gold Mirror
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0




REAL POLARIZED



3.0 PC LENS




KGG-002
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KGG-037
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KOSG-001
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5




KRSG-021
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5




KSG-005
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KUBG-008
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KUG-007
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KUSG-042
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5




REAL POLARIZED



3.0 PC LENS




KVBG-001
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KYG-002
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5




KYSG-001
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5



KYUG-007
SIZE: ϕ 72mm
MATERIAL:PC
THICKNESS:3.0mm
BASE:2.0/4.5

PHOTOCROMIC PC LENS



KO-017 Photocromic
Solid Light Orange to
Dark Orange
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KG-063 Photocromic
Solid Light Green to
Dark Green
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KB-007 Photocromic
Solid Light Brown to
Dark Brown
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KS-386 Photocromic
Solid Light Grey to
Dark Grey
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KU-001 Photocromic
Solid Light Blue to
Dark Blue
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KUG-012 Photocromic
Gradual Blue to
Dark Solid Blue
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KGG-060 Photocromic
Gradual Green to
Dark Solid Green
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KSG-056 Photocromic
Gradual Grey to
Dark Solid Grey
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



KBG-499 Photocromic
Gradual Brown to
Dark Solid Brown
SIZE: ϕ 65mm
MATERIAL: PC
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0




REAL POLARIZED



BIOFOCAL PC LENS



Bifocal Lens G15
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:4.5



Bifocal Lens Brown
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:4.5



Bifocal Lens Grey
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:4.5




Bifocal Lens Blue cut,
AR outside
SIZE: ϕ 65mm
MATERIAL:PC
THICKNESS:1.8mm
BASE:4.5



REAL POLARIZED



TAC POLARIZED LENS



G15
Solid Yellow to Grey
SIZE: 30X40 to 60X70
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



B70
SIZE: 30X40 to 60X70
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



S09
SIZE: 30X40 to 60X70
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



VGG24
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



GPG10
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



RG19
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



UBG22
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



RBU40
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



REAL POLARIZED



TAC POLARIZED LENS



SYG15
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



GG10
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



RY23
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



SBY15
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0




SG08
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



SUR16
SIZE: 55X65mm
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



YG18
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



RG30
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



REAL POLARIZED



TAC POLARIZED LENS




BG24
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



BPG25
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



BPG30
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



GG25
SIZE: 55X65MM
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1MM
BASE: 2.0/4.5/6.0/8.0



REAL POLARIZED



PHOTOCROMIC TAC POLARIZED LENS



Y75 Photochromic
Solid Yellow to Grey
SIZE: 30X40 to 60X70
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0




S43 Photochromic
Light Grey to Dark Grey
SIZE: 30X40 to 60X70
MATERIAL: TAC POLARIZED
THICKNESS: 0.7/1.1mm
BASE: 2.0/4.5/6.0/8.0



REAL POLARIZED




PC POLARIZED LENS



B70
SIZE 60*78mm
MATERIAL: PC POLARIZED
THICKNESS:2.0MM
BASE:2.0/4.5/6.0



BG14-1
SIZE 60*78mm
MATERIAL: PC POLARIZED
THICKNESS:2.0MM
BASE:2.0/4.5/6.0



G15
SIZE 60*78mm
MATERIAL: PC POLARIZED
THICKNESS:2.0MM
BASE:2.0/4.5/6.0



GG15
SIZE 60*78mm
MATERIAL: PC POLARIZED
THICKNESS:2.0MM
BASE:2.0/4.5/6.0



S09
SIZE 60*78mm
MATERIAL: PC POLARIZED
THICKNESS:2.0MM
BASE:2.0/4.5/6.0



SG08
SIZE 60*78mm
MATERIAL: PC POLARIZED
THICKNESS:2.0MM
BASE:2.0/4.5/6.0




REAL POLARIZED



MINERAL LENS



704 Grey
SIZE: ϕ 65/70mm
MATERIAL: Mineral
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



704-Brown
SIZE: ϕ 65/70mm
MATERIAL: Mineral
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0




G15
SIZE: ϕ 65/70mm
MATERIAL: Mineral
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



Gradual Brown
SIZE: ϕ 65/70mm
MATERIAL: Mineral
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



Gradual Blue
SIZE: ϕ 65/70mm
MATERIAL: Mineral
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0



Gradual Gray
SIZE: ϕ 65/70mm
MATERIAL: Mineral
THICKNESS: 1.8mm
BASE: 2.0/4.5/6.0